

Rolling bearings

Plain bearings

Linear technology

**FAG**

# Radial Spherical Roller Bearings




**SCHAEFFLER**

X-LIFE – PROVEN TO BE BETTER

# Longer rating and operating life – higher performance

Dynamic load rating comparison  $C_r$




## Product features

- *Optimized internal construction with increased load carrying capacity*
- *New roller dimensions with crowned end faces*
- *Improved surface quality*
- *Optimized contact geometry between rollers and raceway*
- *Increased running accuracy*
- *Floating central rib*
- *New cage designs in steel and brass*

## Technical advantages\*

- *60% longer rating life*
- *15% higher dynamic load rating  $C_r$*
- *Reduced friction*
- *50% higher limiting speed  $n_G$*
- *Lower bearing temperatures*

\*Compared to the benchmark competitor



### Customer benefits

- *Longer operating life*
- *Higher operational reliability*
- *Downsizing possible, higher power density*
- *Improved lubricant rating life*
- Reduced overall operating costs (TCO)
- Higher machine availability

### Applications

- Cellulose and paper industry: Drying cylinders, calenders
- Cement, mining, and processing: Mining equipment, belt conveyors, bucket conveyors, vibrating screens, vertical mills, roller presses
- Steel industry: Continuous casting plants
- Wind energy: Main rotor shafts
- Power transmission: Passenger elevators
- Drives in marine applications

Dynamic load rating comparison, series 222, 223 and 230



### Types available

#### Series

- 213, 222, 223, 230, 231, 232, 240, 241
- With OD from 52 mm to 920 mm

**Schaeffler Technologies AG & Co. KG**

Industriestrasse 1 – 3  
91074 Herzogenaurach  
Germany

Internet [www.schaeffler.com/X-life](http://www.schaeffler.com/X-life)  
E-Mail [X-life@schaeffler.com](mailto:X-life@schaeffler.com)

Every care has been taken to ensure the correctness of the information contained in this publication but no liability can be accepted for any errors or omissions. We reserve the right to make technical changes.

© Schaeffler Technologies AG & Co. KG  
Issued: 2015, February

This publication or parts thereof may not be reproduced without our permission.